

SemenRate Sample Submission

Please complete this form as fully as possible and return to RAFT Solutions Ltd along with the semen sample(s) you wish to be analysed. You will be notified upon receipt of sample(s). Please note that the **standard turnaround time from receipt of sample to issue of results is 5 working days (Monday-Friday)**. If you require your sample results more urgently than the standard turnaround time please contact the RAFT office to discuss your requirements as soon as possible.

Species: Bovine Equine

Sample Type: Frozen (complete section 6) Fresh (complete section 5)

| | |
|--|---|
| <p>Section 1. Owner's Details</p> <p>Name: _____</p> <p>Address: _____</p> <p>_____</p> <p>Postcode: _____</p> <p>Email: _____</p> <p>Phone: _____</p> | <p>Section 2. Referring Vets Details</p> <p>Name: _____</p> <p>Practice: _____</p> <p>Address: _____</p> <p>_____</p> <p>Postcode: _____ Email: _____</p> <p>Phone: _____</p> |
| <p>Section 3. Invoices and Reports</p> <p>Please note that RAFT will invoice the referring vets practice for all testing unless instructed otherwise.</p> | <p>Section 4. Notification</p> <p>Who should be notified of sample receipt: Vet <input type="checkbox"/> Owner <input type="checkbox"/> Both <input type="checkbox"/></p> <p>RAFT will send all reports to the referring vet to pass on to the owner unless instructed otherwise.</p> |

| <u>Reason for sending samples for testing:</u> (please select all appropriate options. For other please provide more information) | <u>Problem Animal</u> | <u>Screening before use</u> | <u>Investigating conception rate</u> | <u>Other</u> |
|---|--------------------------|-----------------------------|--------------------------------------|--------------------------|
| | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Section 5. Fresh Sample Details (to be completed by collecting vet)

| <u>Animal Name/ Sample ID</u> | <u>Date</u> | <u>Time</u> | <u>Mass Motility</u> | <u>Collected by AV/EEJ</u> | <u>Progressive motility</u> | <u>Volume semen sent</u> | <u>Extender added</u> | <u>CASA</u> | <u>Flow Cytometry</u> | <u>Lab Reference # (For internal use only)</u> |
|-------------------------------|-------------|-------------|----------------------|----------------------------|-----------------------------|--------------------------|-----------------------|--------------------------|--------------------------|--|
| | | | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | |

Section 6. Please Include Frozen Sample Details below (Please complete one line for every straw sent):

| <u>Animal Name/ Sample ID</u> | <u>Type of Extender / country of origin</u> | <u>Batch #</u> | <u>Sexed?</u> | <u>Straw size</u> | <u>Date into Flask</u> | <u>CASA</u> | <u>Flow Cytometry</u> | <u>Hold straw for advanced testing *</u> | <u>Lab Reference # (For internal use only)</u> |
|-------------------------------|---|----------------|---------------|-------------------|------------------------|--------------------------|--------------------------|--|--|
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

NOTES:

***Straws for additional testing:** Please be aware that unused straws for additional testing will be discarded 30 days from their arrival date unless instructed otherwise.

Extender: Some types of extender can cause delays with testing and as a result reporting of results may be slower. In these circumstances we will contact you to advise of any issues.